

| L Number | Hits | Search Text | DB | Time stamp |
|----------|------|---|----------------------|------------------|
| 1 | 3 | (("3753242") or ("4855803") or ("5204990")).PN. | USPAT; US-PGPUB; EPO | 2004/02/18 09:10 |
| 7 | 12 | 5365475.URPN. | USPAT | 2004/02/18 11:11 |
| - | 625 | cipher adj text | USPAT; US-PGPUB; EPO | 2004/02/10 11:19 |
| - | 133 | cipher adj text and blocks near3 text | USPAT; US-PGPUB; EPO | 2004/01/16 16:29 |
| - | 1 | cipher adj text and blocks near3 text and check adj sum | USPAT; US-PGPUB; EPO | 2004/01/20 10:16 |
| - | 1 | generate with random and pseudo adj random with transform and ((cipher\$4 with text) (encrypt\$4 with text)) with block and ((check adj sum) integrity) | USPAT; US-PGPUB; EPO | 2004/01/20 09:34 |
| - | 5 | generate with random and pseudo adj random with transform and ((cipher\$4 with text) (encrypt\$4 with text)) with block | USPAT; US-PGPUB; EPO | 2004/01/20 09:35 |
| - | 5 | generat\$4 with random and pseudo adj random with transform and ((cipher\$4 with text) (encrypt\$4 with text)) with block | USPAT; US-PGPUB; EPO | 2004/01/20 09:46 |
| - | 80 | (encipher\$4 encrypt\$4) with text adj block | USPAT; US-PGPUB; EPO | 2004/01/20 09:46 |
| - | 19 | (encipher\$4 encrypt\$4) with text adj block and pseudo adj random | USPAT; US-PGPUB; EPO | 2004/01/20 09:47 |
| - | 6 | (encipher\$4 encrypt\$4) with text adj block and pseudo adj random and ((check adj sum) integrity) | USPAT; US-PGPUB; EPO | 2004/01/20 14:58 |
| - | 4 | differentially adj uniform and random | USPAT; US-PGPUB; EPO | 2004/01/20 10:55 |
| - | 171 | (Galois adj Field GF) and encrypt | USPAT; US-PGPUB; EPO | 2004/01/20 10:56 |
| - | 14 | (Galois adj Field GF) with pair and encrypt\$4 | USPAT; US-PGPUB; EPO | 2004/01/20 11:13 |
| - | 12 | (Galois adj Field GF) with pair and encrypt\$4 and shift adj register | USPAT; US-PGPUB; EPO | 2004/01/20 13:16 |
| - | 527 | Galois adj field and shift adj register | USPAT; US-PGPUB; EPO | 2004/01/20 13:16 |
| - | 303 | Galois adj field and shift adj register and random | USPAT; US-PGPUB; EPO | 2004/01/20 13:17 |
| - | 90 | Galois adj field and shift adj register and random and \$3crypt\$4 | USPAT; US-PGPUB; EPO | 2004/01/20 13:18 |
| - | 6 | differentially adj uniform | USPAT; US-PGPUB; EPO | 2004/01/20 13:47 |
| - | 6 | differentially adj uniform | USPAT; US-PGPUB; EPO | 2004/01/20 14:58 |
| - | 424 | linear adj feedback adj shift adj register and \$3crypt\$4 | USPAT; US-PGPUB; EPO | 2004/01/20 15:17 |
| - | 5 | linear adj feedback adj shift adj register and \$3crypt\$4 and random and text adj block | USPAT; US-PGPUB; EPO | 2004/01/20 16:02 |
| - | 139 | linear adj feedback adj shift adj register and \$3crypt\$4 and symmetric | USPAT; US-PGPUB; EPO | 2004/01/20 16:02 |
| - | 2 | linear adj feedback adj shift adj register and \$3crypt\$4 and symmetric and text adj block | USPAT; US-PGPUB; EPO | 2004/01/20 16:18 |

| | | | | |
|--|-----|--|----------------------|------------------|
| | 6 | ((("6252958") or ("6618483") or ("4980252") or ("5666411") or ("5195136") or ("5799088"))).PN. | USPAT; US-PGPUB; EPO | 2004/01/20 16:23 |
| | 5 | ((("6252958") or ("6618483") or ("4980252") or ("5666411") or ("5195136") or ("5799088"))).PN.) and generate\$4 with random | USPAT; US-PGPUB; EPO | 2004/01/20 16:23 |
| | 3 | ((("6252958") or ("6618483") or ("4980252") or ("5666411") or ("5195136") or ("5799088"))).PN.) and generate\$4 with random and pseudo with random | USPAT; US-PGPUB; EPO | 2004/01/20 16:37 |
| | 47 | cipher adj text adj blocks | USPAT; US-PGPUB; EPO | 2004/01/20 16:37 |
| | 22 | cipher adj text adj blocks and random adj number | USPAT; US-PGPUB; EPO | 2004/01/21 10:51 |
| | 79 | linear adj feedback adj shift adj register and (integrity adj check check adj sum) | USPAT; US-PGPUB; EPO | 2004/01/21 10:52 |
| | 2 | linear adj feedback adj shift adj register and (integrity adj check check adj sum) and (cipher encrypt) | USPAT; US-PGPUB; EPO | 2004/01/21 11:02 |
| | 263 | (cbc cipher adj block adj chain\$4) and ("exclusive or" "xor" "exclusiveor") | USPAT; US-PGPUB; EPO | 2004/02/10 11:21 |
| | 6 | (cbc cipher adj block adj chain\$4) and ("exclusive or" "xor" "exclusiveor") and galois adj field | USPAT; US-PGPUB; EPO | 2004/02/10 12:08 |
| | 1 | ("5570307").PN. | USPAT; US-PGPUB; EPO | 2004/02/10 11:32 |
| | 0 | (cbc cipher adj block adj chain\$4) and ("exclusive or" "xor" "exclusiveor") and random adj (number key) with generator same probability | USPAT; US-PGPUB; EPO | 2004/02/10 12:09 |
| | 67 | (cbc cipher adj block adj chain\$4) and ("exclusive or" "xor" "exclusiveor") and random adj (number key) with generator | USPAT; US-PGPUB; EPO | 2004/02/10 12:55 |
| | 27 | (cbc cipher adj block adj chain\$4) and ("exclusive or" "xor" "exclusiveor") and random adj (number key) with generator and probability | USPAT; US-PGPUB; EPO | 2004/02/10 12:48 |
| | 392 | (cbc cipher adj block adj chain\$4) and (integrity checksum) and random | USPAT; US-PGPUB; EPO | 2004/02/10 12:56 |
| | 3 | (cbc cipher adj block adj chain\$4) and (integrity checksum) and random and psuedo\$6 | USPAT; US-PGPUB; EPO | 2004/02/10 12:59 |
| | 176 | (cbc cipher adj block adj chain\$4) and (integrity checksum) and random and pseudo\$6 | USPAT; US-PGPUB; EPO | 2004/02/10 13:00 |
| | 31 | (cbc cipher adj block adj chain\$4) and (integrity checksum) and random and pseudo\$6 with generate | USPAT; US-PGPUB; EPO | 2004/02/10 16:26 |
| | 236 | cbc and (380/\$.ccls 713/\$.ccls.) | USPAT; US-PGPUB; EPO | 2004/02/10 16:32 |
| | 3 | divide with text with (block box) and encrypt with block and cipher with text with block | USPAT; US-PGPUB; EPO | 2004/02/10 16:37 |
| | 7 | divide with text with block and encrypt with block and cipher | USPAT; US-PGPUB; EPO | 2004/02/10 16:37 |
| | 4 | divide with text with block and encrypt with block and cipher not (divide with text with (block box) and encrypt with block and cipher with text with block) | USPAT; US-PGPUB; EPO | 2004/02/10 16:38 |
| | 575 | (cbc cipher adj block adj chain\$4) and (integrity checksum) | USPAT; US-PGPUB; EPO | 2004/02/10 16:43 |

| | | | | |
|--|------|--|----------------------|------------------|
| | 99 | (cbc cipher adj block adj chain\$4) and (integrity and checksum) | USPAT; US-PGPUB; EPO | 2004/02/10 16:44 |
| | 47 | (cbc cipher adj block adj chain\$4) and (integrity and checksum) and @ad<20001103 | USPAT; US-PGPUB; EPO | 2004/02/10 16:45 |
| | 35 | (cbc cipher adj block adj chain\$4) and (integrity and checksum) and @ad<20001103 and random | USPAT; US-PGPUB; EPO | 2004/02/10 16:46 |
| | 7 | (cbc cipher adj block adj chain\$4) and (integrity and checksum) and @ad<20001103 and pseudo with random | USPAT; US-PGPUB; EPO | 2004/02/10 16:51 |
| | 4 | (cbc cipher adj block adj chain\$4) and prim\$6 with Galois adj field | USPAT; US-PGPUB; EPO | 2004/02/11 10:19 |
| | 11 | divid\$4 with text with blocks and encrypt with blocks | USPAT; EPO | 2004/02/11 10:25 |
| | 4 | divid\$4 with text with blocks and encrypt with blocks and (integrity checksum) | USPAT; EPO | 2004/02/11 13:22 |
| | 129 | cipher with (block section) with text | USPAT; EPO | 2004/02/11 13:24 |
| | 37 | cipher with (block section) with text and pseudo with random | USPAT; EPO | 2004/02/11 13:24 |
| | 8 | cipher with (block section) with text and pseudo with random and (checksum integrity) | USPAT; EPO | 2004/02/11 13:32 |
| | 5 | random with (checksum integrity) with (block section) and (cipher ciphertext encrypt\$4) | USPAT; EPO | 2004/02/12 13:29 |
| | 148 | generate with random with pseudo with encryp\$4 | USPAT; US-PGPUB; EPO | 2004/02/12 14:14 |
| | 8 | generate with random with pseudo with encryp\$4 and linear with pseudo and cryptographic with pseudo ("5799088").PN. | USPAT; US-PGPUB; EPO | 2004/02/12 15:09 |
| | 1 | | USPAT; US-PGPUB; EPO | 2004/02/12 16:25 |
| | 0 | ("cbcandchecksumwithxor").PN. | USPAT; US-PGPUB; EPO | 2004/02/12 16:25 |
| | 3 | cbc and checksum with "xor" | USPAT; US-PGPUB; EPO | 2004/02/12 16:57 |
| | 4 | (cbc "cipher block chaining") and (checksum "check sum") with ("xor" "exclusive or" "exclusive or") | USPAT; US-PGPUB; EPO | 2004/02/12 16:36 |
| | 240 | (checksum "check sum") with ("xor" "exclusive or" "exclusive or") | USPAT; US-PGPUB; EPO | 2004/02/12 16:36 |
| | 54 | (checksum "check sum") with ("xor" "exclusive or" "exclusive or") and encrypt\$4 | USPAT; US-PGPUB; EPO | 2004/02/12 16:36 |
| | 214 | generate with random with number with pseudo\$6 and linear and \$2crypt\$4 | USPAT; US-PGPUB; EPO | 2004/02/13 09:39 |
| | 1 | ("5570307").PN. | USPAT; US-PGPUB; EPO | 2004/02/13 10:41 |
| | 1264 | block with random adj number | USPAT; US-PGPUB; EPO | 2004/02/13 10:42 |
| | 575 | block with random adj number and encrypt\$4 | USPAT; US-PGPUB; EPO | 2004/02/13 10:44 |
| | 12 | block with random adj number and encrypt\$4 and gf | USPAT; US-PGPUB; EPO | 2004/02/13 10:44 |
| | 18 | block with random adj number and encrypt\$4 and Galois | USPAT; US-PGPUB; EPO | 2004/02/13 10:46 |
| | 717 | (365/174).CCLS. | USPAT; US-PGPUB; EPO | 2004/02/17 11:02 |

| | | | | |
|--|-------|---|----------------------|------------------|
| | 27788 | power with inverter | USPAT; US-PGPUB; EPO | 2004/02/17 11:03 |
| | 30 | power with inverter and ((365/174).CCLS.) | USPAT; US-PGPUB; EPO | 2004/02/17 13:53 |
| | 10 | (("3753011") or ("4380055") or ("4441168") or ("4460978") or ("4484310") or ("4499560") or ("4594688") or ("4635229") or ("0080394") or ("3330026")).PN. | USPAT; US-PGPUB; EPO | 2004/02/17 14:34 |
| | 3 | initialize with data with ("flip flop" latch) with known with state | USPAT; US-PGPUB; EPO | 2004/02/17 13:55 |
| | 12 | 4499560.URPN. | USPAT | 2004/02/17 14:17 |
| | 1 | ("5646885").PN. | USPAT; US-PGPUB; EPO | 2004/02/17 16:42 |
| | 676 | sram and data with (latch flip\$1flop) and power with inverter | USPAT; US-PGPUB; EPO | 2004/02/17 15:21 |
| | 206 | sram and data adj (latch flip\$1flop) and power with inverter | USPAT; US-PGPUB; EPO | 2004/02/17 15:21 |
| | 135 | sram and data adj (latch flip\$1flop) and power with inverter and (reset power\$1up) | USPAT; US-PGPUB; EPO | 2004/02/17 15:22 |
| | 97 | sram and data adj (latch flip\$1flop) and power with inverter and (reset power\$1up) and random adj access adj memory | USPAT; US-PGPUB; EPO | 2004/02/17 15:23 |
| | 60 | sram and data adj (latch flip\$1flop) and power with inverter and (reset power\$1up) and random adj access adj memory and second with inverter | USPAT; US-PGPUB; EPO | 2004/02/17 15:24 |
| | 8 | sram and data adj (latch flip\$1flop) and power with first with inverter and (reset power\$1up) and random adj access adj memory and second with inverter | USPAT; US-PGPUB; EPO | 2004/02/17 15:34 |
| | 16 | sram and data adj (latch flip\$1flop) and power with (first one) with inverter and (reset power\$1up) and random adj access adj memory and second with inverter | USPAT; US-PGPUB; EPO | 2004/02/17 15:35 |
| | 8 | (sram and data adj (latch flip\$1flop) and power with (first one) with inverter and (reset power\$1up) and random adj access adj memory and second with inverter) not (sram and data adj (latch flip\$1flop) and power with first with inverter and (reset power\$1up) and random adj access adj memory and second with inverter) | USPAT; US-PGPUB; EPO | 2004/02/17 15:35 |
| | 39 | data adj (latch flip\$1flop) and power with first with inverter and (reset power\$1up) and random adj access adj memory and second with inverter not (sram and data adj (latch flip\$1flop) and power with (first one) with inverter and (reset power\$1up) and random adj access adj memory and second with inverter) | USPAT; US-PGPUB; EPO | 2004/02/17 16:04 |
| | 3174 | nvrnram | USPAT; US-PGPUB; EPO | 2004/02/17 16:42 |
| | 1 | ("5914895").PN. | USPAT; US-PGPUB; EPO | 2004/02/18 09:09 |
| | 14 | ("H001414" "4095281" "4342101" "4354255" "4435786" "4510584" "4538246" "4638465" "5353248" "5365475" "5523971" "5648930" "5677866" "5774397").PN. | USPAT | 2004/02/17 16:59 |